





ARA/TW	A	B	ARA/TW	A	B
50..	35	7.25	100..	65	17.25
60..	35	12.25	120..	95	12.25
70..	55	7.5	130..	95	17.25
80..	55	12.25	140..	125	7.25
90..	65	12.25	150..	125	12.5





UP-Montage: Nischengröße X x Y und Befestigung Spiegelschrank sind bauseits zu bestimmen.
Montage encastré: la taille de la niche X x Y et la fixation de l'armoire-miroir doivent être déterminées par le client.
Flush mounting: the recess dimensions X by Y and the fixing system for the mirrored cabinet will need to be determined on site.


ARA/TW	A	ARA/TW	A
50..	49.5	100..	99.5
60..	59.5	120..	119.5
70..	69.5	130..	129.5
80..	79.5	140..	139.5
90..	89.5	150..	149.5








	160.451; 452	160.461; 462
	ARA 50/1/TW/L;/R	ARA 60/1/TW/L;/R
	2 x 11W/1262 lm	2 x 13W/1542 lm
A	49.5	59.5
B	47.1	57.1
C	50 (1x)	60 (1x)
D	8.4 x 46.4 (2x)	8.4 x 56.4 (2x)
E	27.0 x 8.2 x 7.0 (1x)	





	160.460	160.470
	ARA 60/2/TW	ARA 70/2/TW
	2 x 13W/1542 lm	2 x 15W/1823 lm
A	59.5	69.5
B	57.1	67.1
C	30 (2x)	35 (2x)
D	8.4 x 56.4 (2x)	8.4 x 66.4 (2x)
E	27.0 x 8.2 x 7.0 (1x)	






	160.480	160.490	160.500
	ARA 80/2/TW	ARA 90/2/TW	ARA 100/2/TW
	2 x 18W/2103 lm	2 x 20W/2383 lm	2 x 22W/2664 lm
A	79.5	89.5	99.5
B	37.8	42.8	47.8
C	40 (2x)	45 (2x)	50 (2x)
D	8.4 x 37.1 (4x)	8.4 x 42.1 (4x)	8.4 x 47.1 (4x)
E	27.0 x 8.2 x 7.0 (1x)		






	160.520	160.530	160.540
	ARA 120/2/TW	ARA 130/2/TW	ARA 140/2/TW
	2 x 27W/3225 lm	2 x 30W/3505 lm	2 x 32W/3785 lm
A	119.5	129.5	139.5
B	57.8	62.8	67.8
C	60 (2x)	65 (2x)	70 (2x)
D	8.4 x 57.1 (4x)	8.4 x 62.1 (4x)	8.4 x 67.1 (4x)
E	27.0 x 8.2 x 7.0 (1x)		









	160.501
	ARA 100/3/TW
	2 x 22W/2664 lm
A	99.5
B	27.8
C	38.5
D	30 (2x) / 40 (1x)
E	8.4 x 27.1 (4x)
F	8.4 x 37.8 (2x)
G	27.0 x 8.2 x 7.0 (1x)
	




	160.551
	ARA 150/3/GT/TW
	2 x 34W/4066 lm
A	149.5
B	48.0
C	50 (3x)
D	8.4 x 47.1 (4x)
E	8.4 x 47.8 (2x)
F	27.0 x 8.2 x 7.0 (1x)
	



	160.50
	ARA 150/3/TW
	2 x 34W/4066 lm
A	149.5
B	57.8
C	28.5
D	60 (2x) / 30 (1x)
E	8.4 x 57.1 (4x)
F	8.4 x 27.8 (2x)
G	27.0 x 8.2 x 7.0 (1x)



Taster für Funktionen - Touches pour fonctions - Button for functions



EIN/AUS, ON/OFF, oben, en haut, above

dimmbar, intensité variable, dimmable

2000 - 6500 K

EIN/AUS, ON/OFF, unten, en bas, below